



# P











Paulmann

## ULine 12V

LED + Halogen





- |          |        |         |   |  |
|----------|--------|---------|---|--|
| <b>1</b> | 950.50 | _____ x | <b>Transfo max. 60W (50W LED)</b><br>∅47 ⇄287 ⇄70mm     |  |
| <b>1</b> | 950.51 | _____ x | <b>Transfo max. 150W (130W LED)</b><br>∅110 ⇄177 ⇄101mm |   |
| <b>2</b> | 950.47 | _____ x | <b>Track 0,5m</b><br>∅13 ⇄13mm ⇄0,5m                    |   |
| <b>2</b> | 950.48 | _____ x | <b>Track 1m</b><br>∅13 ⇄13mm ⇄1m                        |  |
| <b>2</b> | 950.49 | _____ x | <b>Track 2m</b><br>∅13 ⇄13mm ⇄2m                        |  |
| <b>3</b> | 950.52 | _____ x | <b>Line Connector</b><br>∅35 ⇄15 ⇄14mm                  |   |
| <b>4</b> | 950.55 | _____ x | <b>L-Connector</b><br>∅15 ⇄53 ⇄14mm                     |   |
| <b>5</b> | 950.54 | _____ x | <b>X-Connector</b><br>∅42 ⇄42 ⇄14mm                     |   |
| <b>6</b> | 950.53 | _____ x | <b>T-Connector</b><br>∅42 ⇄29 ⇄14mm                     |   |
| <b>7</b> | 950.56 | _____ x | <b>MAX Connector</b><br>∅15 ⇄170 ⇄14mm                  |  |
- 000.00 3 x

## Uline 12V LED + Halogen



### Paulmann EcoSystems

LED	Halogen 12V
<b>-90 %</b>	<b>-50 %</b>
<b>30.000 h</b>	<b>2.000-5.000 h</b>

**LED**

**Line**  
1x20W, 12V  
3000 K  
∅16,5 ⇄ 684mm ∓1500mm  
**950.66**

**Inline**  
1x1W, 12V  
3000 K  
∅7 ⇄ 142 ∓12,5mm  
**950.64**

**Pencil**  
1x3W, 12V  
3000 K  
∅50 ⇄ 75 ∓95 ∅19mm  
**950.61**

**Fennel**  
1x3W, 12V  
3000 K  
∅122 ⇄ 75 ∓81 ∅122mm  
**950.62**

**Cone**  
1x5W, 12V  
3000 K  
∅101 ⇄ 75 ∓108 ∅50mm  
**950.63**

**Halogen 12V**

**Sheela**  
1x35W, 12V  
∓56 ⇄ 75 ∓1500 ∅49mm  
**950.60**

**Singin**  
1x20W, 12V  
∅100 ⇄ 75 ∓100mm  
**950.57**

**Mitech**  
1x35W, 12V  
∅53 ⇄ 75 ∓120 ∅61mm  
**950.58**

**Sheela**  
1x35W, 12V  
∅56 ⇄ 75 ∓100 ∅49mm  
**950.59**